



BE WITCHED

Fabrics by Carol Eldridge



makower uk

1384 Broadway
New York, NY 10018
(800) 223-5678
www.andoverfabrics.com

Quilt designed by Heidi Pridemore
Finished size: 63" x 75"

Be Witched Quilt

Introducing Andover Fabrics new collection: *Be Witched* by Carol Eldridge
Quilt designed by Heidi Pridemore

Quilt finishes 63" x 75"
Block size: 12" x 12"

Cutting Directions

Note: Borders are cut the exact lengths required plus $\frac{1}{4}$ " seam allowances. WOF designates the width of fabric from selvedge to selvedge (approximately 42" wide).

Hint: Use your favorite method to make HST that *finish* 2" square or follow the directions here. If you prefer, cut the $2\frac{7}{8}$ " squares for HST 3", and trim the HST after piecing.

Fabric A Fussy cut (1) $10\frac{1}{2}$ " x $20\frac{1}{2}$ " large panel for the center.

Fussy cut (8) $6\frac{1}{2}$ " x $10\frac{1}{2}$ " small panels for the blocks.

Fabric B Cut (48) $1\frac{1}{2}$ " x $10\frac{1}{2}$ " strips for the blocks.
Cut (16) $1\frac{1}{2}$ " x $8\frac{1}{2}$ " strips for the blocks.
Cut (32) $1\frac{1}{2}$ " x $4\frac{1}{2}$ " strips for the blocks.
Cut (2) borders $3\frac{1}{2}$ " x $20\frac{1}{2}$ " strips for the center borders.
Cut (2) borders $2\frac{1}{2}$ " x $16\frac{1}{2}$ " strips for the center borders.

Fabric C Cut (8) $2\frac{1}{2}$ " x $12\frac{1}{2}$ " strips for the blocks.
Cut (2) $2\frac{1}{2}$ " x $52\frac{1}{2}$ " strips for the borders.

Fabric D Fussy cut (4) $6\frac{1}{2}$ " x 37" strips centering each on the heads stripe.

Fabric E Cut (32) 2" x $6\frac{1}{2}$ " strips for the blocks.
Cut (2) borders 2" x $64\frac{1}{2}$ " strips, cut crosswise and pieced.
Cut (2) borders 2" x $55\frac{1}{2}$ " strips, cut crosswise and pieced.

Fabric F* Cut (2) borders $4\frac{1}{2}$ " x $67\frac{1}{2}$ " strips, cut crosswise and pieced.
Cut (2) borders $4\frac{1}{2}$ " x $63\frac{1}{2}$ " strips, cut crosswise and pieced.

Fabric G Cut (8) $4\frac{1}{2}$ " squares for the blocks.

Fabric H Cut (64) $1\frac{1}{2}$ " squares for the blocks.

Fabric I Cut (32) $2\frac{1}{2}$ " squares for the blocks.
Cut (7) $2\frac{1}{2}$ " x WOF strips for the binding.

***Backing** Cut (2) panels 43 " x 71 ", pieced to fit quilt top with overlap on all sides for backing.

Fabric Requirements

	Yardage		
Fabric A	Be Witched Panel	1 Panel	5711-K
Fabric B	Black Tossed Candy	$1\frac{1}{2}$ yards	5714-K
Fabric C	Black Dimples	$\frac{2}{3}$ yard	1867-K1
Fabric D	Orange Stripe	1 yard	5712-O
Fabric E	Green Stripe	1 yard	5263-G
Fabric F*	Black Heads	$1\frac{1}{4}$ yards	5713-K
Fabric G	Orange Heads	$\frac{1}{4}$ yard	5713-O
Fabric H	Yellow Dimples	$\frac{1}{4}$ yard	1867-Y19
Fabric I	Orange Dimples	$\frac{7}{8}$ yard	1867-Y12
<i>*Additional fabric required for backing.</i>			
Fabric F	Backing	4 yards	5713-K

Pieced Blocks

1. Sew one $1\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric B strip to each side of one $4\frac{1}{2}$ " Fabric G square to make one center row (Fig. 1). Press towards the Fabric G square. Sew one $1\frac{1}{2}$ " Fabric H square to each end of one $1\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric B strip to make the top row. Press towards the Fabric H square. Repeat to make the bottom row. Sew the top row, center row and bottom rows together to make one $6\frac{1}{2}$ " block center (Fig. 2). Repeat to make eight block centers total.



FIG. 1




FIG. 2

2. Sew one $2\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric E strip to each side of the block centers (Fig. 3). Press towards the Fabric E strip. Sew one $2\frac{1}{2}$ " Fabric I square to each end of one $2\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric E strip to make one top row. Press towards the Fabric E strip. Repeat to make the bottom row. Sew the rows to the top and bottom of the block center (Fig. 4). Press towards the block center. Repeat with the remaining block centers.




FIG. 3




FIG. 4

Be Witched Quilt

- Sew one $1\frac{1}{2}$ " x $10\frac{1}{2}$ " Fabric B strip to each side of one block center (Fig. 5). Press towards the Fabric B strip. Sew one $1\frac{1}{2}$ " Fabric H square to each end of one $1\frac{1}{2}$ " x $10\frac{1}{2}$ " Fabric B strip to make one top row. Press towards the Fabric B strip. Repeat to make the bottom row. Sew the rows to the top and bottom of the block center (Fig. 6). Press towards the block center. Repeat with the remaining block centers to make eight $12\frac{1}{2}$ " pieced blocks.




FIG. 5




FIG. 6

Panel Blocks

- Sew one $1\frac{1}{2}$ " x $10\frac{1}{2}$ " Fabric B strip to each side of one $6\frac{1}{2}$ " x $10\frac{1}{2}$ " Fabric A panel. Press towards Fabric B. Sew one $1\frac{1}{2}$ " x $8\frac{1}{2}$ " Fabric B strip to the top and bottom of the Fabric A panel to make one $8\frac{1}{2}$ " x $12\frac{1}{2}$ " Panel Block (Fig. 7). Press towards the Fabric B strips.
- Center Panel: Sew one $3\frac{1}{2}$ " x $20\frac{1}{2}$ " Fabric B strip to each side of the $10\frac{1}{2}$ " x $20\frac{1}{2}$ " Fabric A panel. Press towards the Fabric B strips. Sew one $2\frac{1}{2}$ " x $16\frac{1}{2}$ " Fabric B strip to the top and bottom of the Fabric A panel (Fig. 8) to make the center panel.




FIG. 7




FIG. 8

- Center one $6\frac{1}{2}$ " x 37 " Fabric D strip on one side of the center panel. Start sewing the strip a $\frac{1}{4}$ " from the top edge of the center panel and stop a $\frac{1}{4}$ " from the bottom edge (Fig. 9). DO NOT TRIM THE EXCESS. Repeat with the remaining three sides, making sure to stop and start $\frac{1}{4}$ " away from each end of the center panel.
- To miter each corner, fold the quilt top on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 10). Starting at the sewn seam (represented by the arrow in Fig. 10) draw a 45° line out to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a $\frac{1}{4}$ " seam. Repeat this step with the remaining corners to make the $32\frac{1}{2}$ " x $36\frac{1}{2}$ " quilt top. Press the towards the Fabric D strips.




FIG. 9




FIG. 10

Quilt Top

- Sew one $2\frac{1}{2}$ " x $12\frac{1}{2}$ " Fabric C strip to each side of two panel blocks for the side blocks (Fig. 11). Press towards Fabric C.
- Sew one pieced block to the top and bottom of one side block to make one $12\frac{1}{2}$ " x $36\frac{1}{2}$ " side block border (Fig. 12). Repeat to make a second side block border. Sew the borders to the quilt top. Press towards the center.




FIG. 11




FIG. 12

Be Witched Quilt

10. Sew together three panel blocks and two pieced blocks, alternating them to make the top block border. Sew one $2\frac{1}{2}$ " x $12\frac{1}{2}$ " Fabric C strip to each side of the top border to make one $12\frac{1}{2}$ " x $52\frac{1}{2}$ " top border (Fig. 13). Repeat to make a bottom border. Sew the borders to the quilt top. Press towards the borders.





FIG. 13

11. Sew one $2\frac{1}{2}$ " x $52\frac{1}{2}$ " Fabric C strip to the top and bottom of the quilt top to make one $52\frac{1}{2}$ " x $64\frac{1}{2}$ " Quilt top. Press towards the Fabric C strip.

12. Sew one 2 " x $64\frac{1}{2}$ " Fabric E to each side of the quilt top. Sew one 2 " x $55\frac{1}{2}$ " Fabric E strip to the top and bottom of the quilt top. Press towards the Fabric E strips.
13. Sew one $4\frac{1}{2}$ " x $67\frac{1}{2}$ " Fabric F strip to each side of the quilt top. Sew one $4\frac{1}{2}$ " x $63\frac{1}{2}$ " Fabric F strip to the top and bottom of the quilt top. Press towards the F strips.

Finishing the Quilt

14. Layer and quilt as desired. Sew the seven $2\frac{1}{2}$ " x 42 " Fabric I strips together end-to-end with 45° seams to make the binding. Fold this long strip in half lengthwise with wrong sides together and press. Bind as desired.



Quilt Assembly Diagram

Be Witched

by Carol Eldridge



makower uk®



5711-K



5713-0



5713-G




5713-K



5712-M




5714-M




5714-0



5712-0



5714-P



5714-K



1867-Y19




1867-Y12



1867-K1



5263-G



5263-M