
Nicholson Street

BY MAX & LOUISE






Graceburn

Quilt Design: Max & Louise
Quilt Size: 60" x 60"
andoverfabrics.com

Free Pattern Download Available

1384 Broadway New York, NY 10018 Tel. (800) 223-5678 • andoverfabrics.com





Featuring Andover Fabrics new Collection: Nicholson Street by Max & Louise Quilt designed by Max & Louise

Quilt finished 60 " x 60"		Fabric Requirements			
Note: Read patches. Bo plus 1/4" sear	assembly directions before cutting orders are cut to exact length required in allowance. WOF designates the width im selvedge to selvedge (approximately) Cut (5) 2 3/8" x WOF strips. Sub-cut (65) 2 3/8" squares. Cut (13) 2 3/8" squares across (1) diagonal to make (26) 2 3/8" triangles. Note: Only 25 triangles will be used. Cut (1) 5 3/8" x WOF strip. Sub-cut (4) 5 3/8" squares. Cut each 5 3/8"	Fabric A Fabric B Fabric C Fabric D Fabric E Fabric F Fabric G Fabric H Fabric I Fabric J Fabric K Fabric L Fabric M	blocks	Yardage % yard 1 1/3 yards 1/3 yard 1/4 yard 3/4 yard 1/3 yard 1/3 yard 1/4 yard 1/4 yard 1/4 yard 1/3 yard 1/4 yard	Fabric 8930-B 8930-K 8930-L 8931-L 8931-N 8931-P 8932-B 8932-G 8932-N 8933-E 8933-G 8933-N 8934-B
Fabric B	squares across (1) diagonal to make (8) 5 3/8" triangles. Cut (1) 2 3/8" x WOF strip. Sub-cut (13) 2 3/8" squares. Cut (3) 16 1/4" x WOF strips. Sub-cut (6) 16 1/4" squares. Cut each 16 1/4" squares across both diagonals to make (12) side-setting triangles. Cut (1) 8 3/8" x WOF strip. Sub-cut (2) 8 3/8" squares. Cut each 8 3/8" square across (1) diagonal to make (4) corner-setting triangles. Cut (1) 2 3/8" x WOF strip. Sub-cut (13) 2 3/8" squares. Cut (1) 5 3/8" x WOF strip. Sub-cut (13) 5 3/8" squares. Cut (2) 5 3/8" x WOF strip. Sub-cut (3) 5 3/8" squares. Cut (3) 5 3/8" x WOF strip. Sub-cut (3) 5 3/8" squares. Cut each 5 3/8" squares across (1) diagonal to make (6) 5 3/8" triangles.	Fabric N Fabric O Fabric P Fabric Q Fabric R Fabric S Fabric T Fabric U Fabric W Fabric W Fabric X Fabric Z Fabric Z Fabric AA Fabric BB Fabric CC Fabric DD Fabric EE Backing	blocks	1/4 yard 1/4 yard 1/3 yard 1/3 yard 1/4 yard 1/2 yard 1/3 yard 1/4 yard 1/4 yard 1/2 yard 1/2 yard 1/2 yard 1/2 yard 1/3 yard 1/3 yard 1/3 yard 1/3 yard 1/3 yard 1/2 yard 1/3 yard	8934-L 8934-N 8935-K 8935-L 8935-N 8936-C 8936-K 8936-L 8937-C 8937-L 8937-N 8924-L 8926-EN 8926-EN 8926-LY 8927-E 8927-LY 8928-EN 8920-LP 8937-N
Fabric D	Cut (2) 2 3/8" x WOF strips. Sub-cut (26) 2 3/8" squares.		backing	·	
Fabric E	Cut (3) 2 3/8" x WOF strips. Sub-cut (39) 2 3/8" squares. Cut (7) 2 1/2" x WOF strips for the binding.	Fabric G	Cut (1) 2 3/8" x WOF s squares. Cut (1) 5 3/8" x WOF s squares. Cut each diagonal to make	trip. Sub-cut 5 3/8" squares	(3) 5 ³ / ₈ " across (1)
Fabric F	Cut (3) $2\frac{3}{8}$ " x WOF strips. Sub-cut (39) $2\frac{3}{8}$ " squares.	Fabric H	Cut (2) 2 3/8" x WOF strips. Sub-cut (26) 2 3/8" squares.		
		Fabric I	Cut (1) 2 ¾" x WOF s squares.	trip. Sub-cut	(13) 2 3/8"

Fabric J	Cut (1) 2 3/8" x WOF strip. Sub-cut (13) 2 3/8" squares.	Fabric V	Cut (1) 2 3/8" x WOF strip. Sub-cut (13) 2 3/8" squares.
	Cut (1) 5 3/8" x WOF strip. Sub-cut (3) 5 3/8" squares. Cut each 5 3/8" squares across (1) diagonal to make (6) 5 3/8" triangles.	Fabric W	Cut (3) 2 3/8" x WOF strips. Sub-cut (39) 2 3/8" squares.
Fabric K	Cut (1) 2 3/8" x WOF strip. Sub-cut (13) 2 3/8" squares. Cut (1) 5 3/8" x WOF strip. Sub-cut (3) 5 3/8" squares. Cut each 5 3/8" squares across		Cut (1) 5 3/8" x WOF strip. Sub-cut (3) 5 3/8" squares. Cut each 5 3/8" squares across (1) diagonal to make (6) 5 3/8" triangles. Note: Only 5 triangles will be used.
	(1) diagonal to make (6) 5 3/8" triangles. Note: Only 5 triangles will be used.	Fabric X	Cut (1) 5 3/8" x WOF strip. Sub-cut (3) 5 3/8" squares. Cut each 5 3/8" squares across (1) diagonal to make (6) 5 3/8" triangles.
Fabric L	Cut (1) 5 3/8" x WOF strip. Sub-cut (3) 5 3/8" squares. Cut each 5 3/8" squares across (1) diagonal to make (6) 5 3/8" triangles. Cut (1) 2 3/8" x WOF strip. Sub-cut (13) 2 3/8"		Cut (2) 2 3/8" x WOF strips. Sub-cut (25) 2 3/8" squares. Cut each 2 3/8" square across (1) diagonal to make (50) triangles.
	squares. Cut each 2 3/8" square across (1) diagonal to make (26) 2 3/8" triangles. Note: Only 25 triangles will be used.	Fabric Y	Cut (2) 2 3/8" x WOF strip. Sub-cut (26) 2 3/8" squares. Cut (2) 5 3/8" x WOF strips. Sub-cut (7) 5 3/8" squares. Cut each 5 3/8" squares across
Fabric M	Cut (2) 2 3/8" x WOF strips. Sub-cut (26) 2 3/8" squares.		(1) diagonal to make (14) $5 \frac{3}{8}$ " triangles.
Fabric N	Cut (1) 2 3/8" x WOF strip. Sub-cut (13) 2 3/8" squares.	Fabric Z	Cut (2) $2\frac{3}{8}$ " x WOF strip. Sub-cut (26) $2\frac{3}{8}$ " squares.
Fabric O	Cut (1) 2 3/8" x WOF strip. Sub-cut (13) 2 3/8" squares.	Fabric AA	Cut (3) $2\frac{3}{8}$ " x WOF strips. Sub-cut (39) $2\frac{3}{8}$ " squares.
	Cut (1) 2 3/8" x WOF strip. Sub-cut (13) 2 3/8" squares. Cut each 2 3/8" square across (1) diagonal to make (26) 2 3/8" triangles. Note: Only 25 triangles will be used.	Fabric BB	Cut (1) 5 3/8" x WOF strip. Sub-cut (3) 5 3/8" squares. Cut each 5 3/8" square across (1) diagonal to make (6) 5 3/8" triangles. Note: Only 5 triangles will be used. Cut (1) 2 3/8" x WOF strip. Sub-cut (13) 2 3/8"
Fabric P	Cut (3) 2 3/8" x WOF strips. Sub-cut (38) 2 3/8" squares. Cut (25) 2 3/8" squares across (1) diagonal to make (50) 2 3/8" triangles.	Fabric CC	squares. $Cut (4) 2 \% x WOF strips. Sub-cut (52) 2 \% $
Fabric Q	Cut (1) 2 3/8" x WOF strip. Sub-cut (13) 2 3/8" squares. Cut (1) 5 3/8" x WOF strip. Sub-cut (3) 5 3/8" squares. Cut each 5 3/8" squares across		squares. Cut (1) 5 3/8" x WOF strip. Sub-cut (4) 5 3/8" squares. Cut each 5 3/8" squares across (1) diagonal to make (8) 5 3/8" triangles.
	(1) diagonal to make (6) 5 3/8" triangles.	Fabric DD	Cut (1) 5 3/8" x WOF strip. Sub-cut (3) 5 3/8" squares. Cut each 5 3/8" square across
Fabric R	Cut (1) 2 3/8" x WOF strip. Sub-cut (13) 2 3/8" squares.		(1) diagonal to make (6) 5 1/8" triangles. Cut (4) 2 1/8" x WOF strips. Sub-cut (52) 2 1/8" squares.
Fabric S	Cut (2) 2 3/8" x WOF strip. Sub-cut (26) 2 3/8" squares. Cut (1) 5 3/8" x WOF strip. Sub-cut (4) 5 3/8" squares. Cut each 5 3/8" squares across (1) diagonal to make (8) 5 3/8" triangles.	Fabric EE	Cut (3) 2 3/8" x WOF strips. Sub-cut (39) 2 3/8" squares. Cut (1) 5 3/8" x WOF strip. Sub-cut (3) 5 3/8" squares. Cut each 5 3/8" square across
Fabric T	Cut (3) 2 3/8" x WOF strips. Sub-cut (39) 2 3/8" squares. Cut (13) 2 3/8" squares across (1) diagonal to make (26) 2 3/8" triangles.	Backing	(1) diagonal to make (6) 5 3/8" triangles. Note: Only 5 triangles will be used. Cut (2) 68" x WOF strips. Sew the strips
	Note: Only 25 triangles will be used.		together and trim to make (1) 68" x 68" back.
Fabric U	Cut (2) 2 3/8" x WOF strip. Sub-cut (26) 2 3/8" squares.		


Making the Quilt


1. Block Assembly

Place (1) 2 3/8" Fabric AA square on top of (1) 2 3/8" Fabric D square, right sides together. Draw a line across the diagonal of the top square (Diagram 1). Sew 1/4" away from each side of the drawn diagonal line (Diagram 1). Cut the (2) squares apart on the drawn diagonal line (Diagram 2) to make (2) half-square triangles. Trim the blocks to measure 2" square to make (2) Unit 1 blocks (Diagram 3). Repeat to make (26) Unit 1 blocks total. Note: Only 25 blocks will be used.



2. Repeat Step 1 and use Diagrams 4 through 30 for fabric identification and location to make (26) of each block, Units 2-28. Note: Only 25 of each block will be used.





- Fabric A 2 3/4" triangle to make Row 1. Sew (1) Unit 1 block to the left side of (1) Unit 4 block to make Row 2. Sew (1) Unit 2 block to the left side of Unit 5 block to make Row 3. Sew (1) Unit 3 block to the left side of (1) Unit 6 block to make Row 4. Sew the (4) rows together to make (1) Unit 29 strip (Diagram 31). Repeat to make (25) Unit 29 strips total.
- **4.** Sew (1) Unit 7 block to the left side of (1) Unit 10 block to make Row 1. Sew (1) Unit 8 block to the left side of Unit 11 block to make Row 2. Sew (1) Unit 9 block to the left side of (1) Unit 12 block to make Row 3. Sew (1) Fabric T 23/8" triangle to the left side of (1) Fabric P 2 3/8" triangle to make Row 4. Sew the (4) rows together to

Unit 29 make (1) Unit 30 Unit 30 strip (Diagram 32). make 25 make 25 Repeat to make Unit (25) Unit 30 strips total. Unit Unit Unit Unit Unit

Unit

Diagram 31

Unit

Т

Diagram 32

Unit

10

Unit

Unit

5. Follow Diagram 33 and sew the (4) assorted 2 3/8" triangles and (16) assorted units together to make (1) Unit 31 strip. Repeat to make (25) Unit 31 strips total.




Diagram 33

6. Sew (1) Fabric CC 5 3/8" triangle to the left side of (1) Unit 29 strip. Sew (1) Fabric A 5 3/8" triangle to the right side of the strip. Sew the sewn strip to the top of (1) Unit 31 strip lengthwise. Sew (1) Fabric S 5 3/8" triangle to the left side of (1) Unit 30 strip. Sew (1) Fabric Y 5 3/8" triangle to the right side. Sew the new strip to the bottom of the Unit 31 strip lengthwise to make (1) Block One square (Diagram 34). Repeat to make (8) Block One squares total.





Diagram 34

7. Repeat Step 6 and use Figures 35-37 for component identification, location and orientation to make (6) Block Two squares, (6) Block Three squares and (5) Block Four squares.



Quilt Top Assembly


(Refer to the Quilt Layout when assembling the quilt top.)

- **8.** Sew (1) Fabric B side-setting triangle to each side of (1) Block One square. Sew (1) Fabric B corner-setting triangle to the top of the Block One square to make Row One.
- 9. Sew (1) Fabric B side-setting triangle, (1) Block Two square, (1) Block Three square, (1) Block Four square and (1) Fabric B side-setting triangle together in that order to make Row Two.
- Sew (1) Fabric B side-setting triangle, (1) Block One square, (1) Block Four square, (1) Block Two square, (1) Block One square, (1) Block Three square and (1) Fabric B side-setting triangle together in that order to make Row Three.
- 11. Sew (1) Fabric B corner-setting triangle, (1) Block Two square, (1) Block One square, (1) Block Three square, (1) Block Four square, (1) Block Two square, (1) Block One square, (1) Block Three square and (1) Fabric B corner-setting triangle together in that order to make Row Four.
- 12. Sew (1) Fabric B side-setting triangle, (1) Block Three square, (1) Block One square, (1) Block Two square, (1) Block Four square, (1) Block One square and (1) Fabric B side-setting triangle together in that order to make Row Five.

- **13.** Sew (1) Fabric B side-setting triangle, (1) Block Four square, (1) Block Three square, (1) Block Two square and (1) Fabric B side-setting triangle together in that order to make Row Six.
- **14.** Sew (1) Fabric B side-setting triangle to each side of (1) Block One square. Sew (1) Fabric B corner-setting triangle to the bottom of the Block One square to make Row Seven.
- **15.** Sew the (7) rows together in numerical order to make the quilt top.

Finishing the Quilt

- 16. Layer and quilt as desired.
- 17. Sew the (7) Fabric E binding strips together, end to end with a 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 18. Bind as desired.



Nicholson Street


BY MAX & LOUISE





About Our Fabrics

A recognized leader in the quilting industry,
Andover Fabrics features designs by a wide variety of talented artists and
licenses, including Downton Abbey and Eric Carle's Very Hungry Caterpillar.
Catering to the tastes of creative and dedicated quilters, Andover has a style
for everyone — authentic reproductions, romantic florals, modern and more.



Fabrics shown are 25% of actual size.

Free Pattern Download Available

1384 Broadway New York, NY 10018 Tel. (800) 223-5678 • andoverfabrics.com