

White Daisy Quilt

Introducing Andover Fabrics new collection: Three Little Pigs by Gloria Leonard Hall Quilt designed by Jean Ann Wright

Fabric Requirements

		Yardage	
Fabric A	center panel	² /3 yard	5099-Y
Fabric B	piecing	⁵ ⁄8 yard	5105-B
Fabric C	outer border	1 ² /3 yards	4284-Y
Fabric D	borders, binding	³ ⁄4 yard	1867-EH
Fabric E	piecing	³ ⁄8 yard	1867-Y17
Fabric F	piecing	1⁄4 yard	1867-G12
Fabric G	piecing	1⁄2 yard	1867-Y4
Backing		3¼ yards	5101-P

Cutting Directions

Note: Border measurements are given in the exact lengths required, including ¹/₄" seam allowances. WOF designates the width of fabric from selvedge to selvedge (appproximately 42" wide).

- **Fabric A** Cut (1) panel $14\frac{1}{2}$ " x $22\frac{1}{2}$ " with motif centered
- Fabric B Cut (14) squares 47%" x 47%" and cut in half once diagonally to make 28 triangles
 Cut (7) squares 51/4" x 51/4" and cut twice diagonally to make 28 triangles
- Fabric C Cut (2) strips 4¹/₂" x 45" along the length of the fabric Cut (2) strips 4¹/₂" x 55" along the length of the fabric
- Fabric D Cut (2) strips 1¹/₂" x 22¹/₂" Cut (2) strips 1¹/₂" x 16¹/₂" Cut (2) strips 1¹/₂" x 40¹/₂" Cut (2) strips 1¹/₂" x 34¹/₂" Cut (5) strips 2¹/₂" x WOF for binding
- **Fabric E** Cut (14) squares 47%" x 47%" and cut in half once diagonally to make 28 triangles
- Fabric FCut (14) squares 5¼" x 5¼" and cut twice
diagonally to make 56 triangles
- **Fabric G** Cut (14) squares 5¹/4" x 5¹/4" and cut twice diagonally to make 56 triangles
- **Backing** Cut (2) panels 42" x 58" and piece to fit quilt top with 4" extending on all sides

Quilt finishes 42" x 50" 14 pieced blocks 8" x 8"

Reminiscent of the days when home goods from flour and sugar to animal feed and grain were sold in feed sacks, the panel in the center of this quilt from the Three Little Pigs fabric collection brings back fond memories the good old days.

Making the Broken Dishes Blocks

- Sew a fabric G triangle to a fabric F triangle and add a large fabric B triangle to complete a blue unit referring to Diagram 1. Press seams. Repeat to make 28 blue units.
- 2. Sew a small fabric B triangle to a fabric G triangle and add a fabric E triangle to make a yellow unit, referring to Diagram 2. Press seams. Repeat to make 28 yellow units.
- **3.** Join a yellow unit and blue unit to make a row referring to Diagram 3. Press seam toward the blue unit. Repeat to make 28 rows.
- **4.** Join two rows referring to Diagram 4 to complete one Broken Dishes block. Press seams. Repeat to make 14 blocks.



Quilt Assembly

- 5. Sew a 1¹/₂" x 22¹/₂" fabric D strip to the long sides and the 1¹/₂" x 14¹/₂" fabric D strips to the top and bottom of the fabric A panel. Press seams toward strips.
- **6.** Referring to the Assembly Diagram, join three Broken Dishes blocks to make a side row; repeat to make two side rows. Press seams. Sew a side row to opposite sides of the framed A panel. Press seams.
- 7. Join four Broken Dishes blocks to make a top row; repeat to make the bottom row. Press seams. Sew the rows to the top and bottom of the pieced center unit. Press seams.

- **8.** Sew a 1¹/₂" x 40¹/₂" fabric D strip to the long sides and the 1¹/₂" x 34¹/₂" fabric D strips to the top and bottom of the pieced center. Press seams toward strips.
- 9. Fold the pieced center in half on both the length and the width; crease to mark centers, then unfold. Fold each fabric C strip in half and crease to mark centers. Aligning creased center marks, stitch the border strips to each side of the pieced center, beginning and ending ¹/₄" from corners; miter corners, matching the print and trim excess fabric. Press seam allowances toward the fabric C strips.

Finishing The Quilt

10. Layer quilt top with batting and backing. Quilt in the ditch of seams and as desired. Bind to finish the quilt.



Quilt Diagram

Blow the House Down Quilt

Introducing Andover Fabrics new collection: Three Little Pigs by Gloria Leonard Hall Quilt designed by Jean Ann Wright

Quilt finishes 48" x 50" 4 Pieced Blocks: 8" x 8" 2 Pieced Blocks: 16" x 14" 1 Pieced Block: 16" x 16"

This quilt will help you tell the tale of the Three Little Pigs and their straw, wood and brick houses.

Cutting Directions

Note: Border measurements are given in the exact lengths required, including ¹/₄" seam allowances. WOF designates the width of fabric, selvedge to selvedge (approximately 42" wide). One-half yard of fusible web is needed for the appliqué.

- Fabric A Cut (4) squares 47%" x 47%" and cut in half once diagonally to make 8 triangles Cut (8) squares 27%" x 27%" and cut in half once diagonally to make 16 triangles Cut (8) rectangles 21/2" x 41/2"
- Fabric B
 Cut (4) strips 2¹/₂" x 16¹/₂"

 Cut (3) strips 2¹/₂" x 36¹/₂"

 Cut (2) strips 2¹/₂" x 38¹/₂"
- Fabric C Cut (1) strip 5⁷/₈" x WOF and crosscut as follows:
 (2) squares 5⁷/₈" x 5⁷/₈" and cut in half once diagonally to make 4 triangles
 (2) squares 4¹/₂" x 4¹/₂"
 Cut (2) strips 3¹/₂" x WOF and crosscut as follows:
 (4) strips 3¹/₂" x 13"
 (3) rectangles 3" x 4¹/₂"
 (1) rectangle 2¹/₂" x 5¹/₂"
- Fabric D Cut (1) strip 2" x WOF and crosscut as follows:
 (1) rectangle 2" x 2¹/₂"
 (1) strip 2" x 16¹/₂"
 Cut (1) strip 6¹/₂" x WOF and crosscut as follows:
 (1) rectangle 6¹/₂" x 7"
 (1) rectangle 4¹/₂" x 8¹/₂"
 (2) rectangles 3¹/₂" x 7"
 - (2) rectangles $2\frac{1}{2}$ " x 3"
- **Fabric E** Cut (1) square 8" x 8" and cut in half once diagonally to make 2 triangles

Fabric Requirements

		Yardage	
Fabric A	piecing	3⁄8 yard	5104-Y
Fabric B	sashing, border	5⁄8 yard	5102-P
Fabric C	piecing	1⁄2 yard	4290-B
Fabric D	piecing	3⁄8 yard	5103-R
Fabric E	piecing	¹ /3 yard	4285-B
Fabric F	applique	² / ₃ yard	5099-Y
Fabric G	border	1 ⁵ / ₈ yards	4284-B
Fabric H	piecing, border, binding	1 ¹ / ₈ yards	1867-B11
Fabric I	piecing	1⁄4 yard	1867-G12
Fabric J	piecing	1⁄4 yard	1867-Y4
Fabric K	piecing	1⁄4 yard	1867-DN
Fabric L	piecing	1⁄4 yard	1867-K
Backing		3¼ yards	5104-Y

- Fabric FCut three 6" x 9" rectangles fusible web. Place a rectangle
on the wrong side of one pig motif on the fabric F panel.
Fuse in place. Cut out the pig motif. Repeat to cut out
two more pig motifs. Set aside.
- **Fabric G** Cut (2) strips 4¹/₂" x 52" along the length of the fabric Cut (2) strips 4¹/₂" x 54" along the length of the fabric
- Fabric H Cut (4) squares 47/8" x 47/8" and cut in half once diagonally to make 8 triangles
 Cut (8) squares 27/8" x 27/8" and cut in half once diagonally to make 16 triangles
 Cut (32) squares 21/2" x 21/2"
 Cut (6) strips 11/2" x WOF; pieced together to make the following:
 (2) borders 11/2" x 52"
 (2) borders 11/2" x 54"
 Cut (5) strips 21/2" x WOF for binding
- **Fabric I** Cut (3) strips 2" x 16¹/₂"
- **Fabric J** Cut (2) rectangles 4¹/₂" x 8" Cut (1) rectangle 2" x 2¹/₂"
- **Fabric K** Cut (2) rectangles 4¹/₂" x 8" Cut (1) rectangle 2" x 2¹/₂"
- Fabric L Cut (1) strip 4¹/₂" x WOF and crosscut as follows:
 (1) square 4¹/₂" x 4¹/₂"
 (1) rectangle 4¹/₂" x 8¹/₂"
 (2) rectangles 2¹/₂" x 6¹/₂"
 (1) rectangle 2¹/₂" x 7"
- **Backing** Cut (2) panels 43" x 58" and piece to fit quilt top with 4" extending on all sides

Making the Bouncing Betty Blocks

- 1. Sew a large fabric H triangle to a large fabric A triangle to make a large pieced square; repeat to make eight large pieced squares total. Press seams toward fabric H.
- 2. Sew a small fabric H triangle to a small fabric A triangle to make a small pieced square; repeat to make 16 small pieced squares total. Press seams toward fabric H.
- **3.** To complete the Bouncing Betty blocks, sew a small pieced square with a 2½" fabric H square; press seam toward the fabric H square. Make 16 pieced units. Press seams.
- **4.** Join two pieced units to make a block quarter referring to Diagram 1. Make 8 block quarters. Press seams.
- **5.** Sew a block quarter to a large pieced square to make a row referring to Diagram 2. Make 8 rows. Press seams.
- **6.** Join the two rows to complete one Bouncing Betty block referring to Diagram 3. Make 4 blocks. Press seams.



Make 4 Diagram 3

Completing the Flying Geese Row

- Draw a diagonal line from corner to corner on the wrong side of each of the remaining 2¹/₂" fabric H squares.
- 8. Referring to Diagram 4, place a fabric H square on one end of a fabric A rectangle and stitch on the marked line. Trim seam allowance to ¹/₄" and press the resulting fabric H triangle to the right side. Repeat on the opposite end of the fabric A rectangle to complete one flying geese unit. Repeat to make eight flying geese units total.
- **9.** Join the flying geese units to make a flying geese strip referring to Diagram 5. Press seams.



Making the Brick House

- 10. Sew the 2" x $2\frac{1}{2}$ " fabric D rectangle to one end of the $2\frac{1}{2}$ " x $5\frac{1}{2}$ " fabric C rectangle. Press seam.
- **11.** Join two 3¹/₂" x 7" fabric D rectangles, the 2¹/₂" x 7" fabric L rectangle and the 6¹/₂" x 7" fabric D rectangle with the C-D unit referring to Diagram 6. Press seams. Add a fabric I strip to complete the house base. Press seam.



Diagram 6

12. Mark a diagonal line from corner to corner on the wrong side of the two 4½" fabric C squares and the 4½" fabric L square. Sew a fabric L and C square to the 4½" x 8½" fabric D rectangle as in step 8 for Making the Flying Geese Units and referring to Diagram 7. Repeat with the second fabric C square on one end of the 4½" x 8½" fabric L rectangle. Join the two pieced units to complete the roof unit. Press seam.



Diagram 7

13. Join two 2¹/₂" x 3" fabric D rectangles with three 3" x 4¹/₂" fabric C rectangles to make the chimney unit referring to Diagram 8. Press seams.



14. Referring to Diagram 9, join the chimney, roof and house base units to complete the Brick House block. Press seams.



Free Pattern Download Available at www.andoverfabrics.com

Blow the House Down Quilt

Making the Straw House Block

15. Sew a fabric C triangle to each short side of a fabric E triangle to make the roof section. Press seams.



16. Sew the 2" x $2\frac{1}{2}$ " fabric J rectangle to a $2\frac{1}{2}$ " x $6\frac{1}{2}$ " fabric L rectangle and add a $4\frac{1}{2}$ " x 8" fabric J rectangle to each long side to complete the house base unit. Press seams.



17. Join the roof and house base units and add a 3½" x 13" fabric C strip to each side and an I strip to the bottom to complete the Straw House block referring to Diagram 12. Press seams.





Making the Wood House Block

18. Repeat all steps for Straw House block except make the house base unit with fabric K rectangles referring to Diagram 13.



Diagram 13

Adding the Appliqué Pieces

19. Cut three 6" x 9" rectangles fusible web. Place a rectangle on the wrong side of one pig motif on the fabric F panel. Fuse in place. Cut out the pig motif. Repeat to cut out two more pig motifs.



20. Remove the paper backing from the fused pig shapes. Arrange and fuse shapes on the house blocks referring to the Quilt Assembly Diagram for positioning. Machine-appliqué shapes in place to complete the blocks.

Quilt Assembly

- **21.** Refer to the Quilt Assembly Diagram for all steps.
- **22.** Sew a 2¹/₂" x 16¹/₂" fabric B strip to opposite sides of the flying geese unit. Press seams.
- **23.** Join the Straw House block and the Wood House block and the flying geese unit to make the flying geese row. Press seams.
- **24.** Sew a 2¹/₂" x 16¹/₂" B strip to the top and bottom of the Brick House block. Press seams.
- **25.** Join two Bouncing Betty blocks; repeat. Sew a pieced block unit to the B sides of the Brick House unit to complete the Brick House row. Press seams.
- 26. Join the flying geese row with the Brick House row and three 1¹/₂" x 36¹/₂" fabric B strips. Press seams. Sew a 2¹/₂" x 38¹/₂" fabric B strip to the top and bottom. Press seams.
- **27.** Sew a 52" fabric G strip to a 52" fabric H strip along length. Repeat to make a second G/H strip. Press seams.
- **28.** Repeat step 27 with the 54" fabric G and H strips to make two 54" G/H strips.

Blow the House Down Quilt

29. Fold the pieced center in half on both length and width; crease to mark centers, then unfold. Fold each 52" G/H strip and each 54" G/H strip in half and crease to mark centers. Aligning creased center marks, stitch the 54" strips to the long sides and the 52" strips to the top and bottom of the pieced center, beginning and ending ¹/₄" from corners; miter corners, matching stripes and trim excess fabric. Press seams to complete the quilt top.

Finishing the Quilt

30. Layer quilt top with batting and backing. Quilt in the ditch of seams and as desired. Bind to finish the quilt.



1384 Broadway New York, NY 10018 (800) 223-5678 www.andoverfabrics.com

Three Little Pigs by Gloria Leonard Hall





*Indicates fabric used in White Daisy quilt pattern. *Indicates fabric used in Blow the House Down quilt pattern. Fabrics shown are 15% of actual size. 5/6/10 Free Pattern Download Available at www.andoverfabrics.com