
Whiskers and Dash

SARAH GOLDEN





Whiskers and Dash Quilt designed by: **Sarah Golden •** Quilt Size: **60" x 60"** Skill Level: **Intermediate • andoverfabrics.com**



Whiskers and Dash Quilt

Introducing Andover Fabrics new collection: **WHISKERS AND DASH** by Sarah Golden Quilt designed by Sarah Golden



Quilt finishes 60" x 60"

Bold and dramatic, this wall quilt will catch the eye with its unusual design of cat-print patches. The pieced circle is appliqued to the background to make this a quick and easy project. There is plenty of room in the background to show off your quilting skills.

Fabric Requirements					
	-		Yardag	e F ab	ric
Cream	background		$3\frac{1}{2}$ yard	ls CS-	10-Snow
24 Prints	s patches		fat 1/8 yard each		
9	168 B1	9168 C	9168	CL	9168 G
9	168 L	9168 L	1 9168	LE	9168 N
9	168 O	9168 T	9168	Y	$9168\mathrm{YL}$
9	173 B1	9173 C	9173	\mathbf{E}	9173 G
9	173 K1	9173 L	**91'	73 LC	9173 N
9	173 O	9173 T	*917	3 Y	9173 Y1
*Binding			5/8 yard	917	3 Y
**Backing	5		4 yards	917	3 LC

Cutting Directions

Note: Read assembly directions before cutting patches. All measurements are cut sizes and include $\frac{1}{4}$ " seam allowances. A fat $\frac{1}{8}$ is a 9" x 20"-22" cut of fabric. WOF designates the width of fabric from selvedge to selvedge (approximately $\frac{42}{9}$ " wide).

Cream From each: Cut (2) rectangles 30½" x 60½"

24 Prints From each: Cut (1) wedge template

Binding


Cut (8) strips 21/2" x WOF for binding

Backing

Cut (2) panels 34" x 68", pieced to fit quilt top with overlap on all sides

Making the Quilt

- 1. Lay out the 24 fabric patches in order as shown. Join the patches to form the pieced circle. Press the seam allowances open between patches.
- 2. Referring to Diagram 1, "stay stitch" 1/4" away from the raw outer edge of the circle. Stitch 1/4" away from the inner raw edge of the circle.



- **3.** Steam press the raw edges to the back, turning the fabric under at the stitched lines. Be sure that no stitching shows on the front. If you wish, dab a bit of fabric starch in the allowance along the edges of the circle to keep the folds in place.
- **4.** Join the 2 cream rectangles together. Press the seam allowance open. Fold the background square in half, perpendicular to the middle seam. Finger press the fold. This will divide the background into quarters.
- 5. With right sides facing up, position the pressed circle on the background, aligning seams of the circle with the seam and fold lines of the background. Stand back to be certain that the circle is centered. Pin around both the inside and outside curves, keeping the circle flat. Hint: First pin at the north, south, east and west points of the circle where the patches align with the background folds. Then pin in between those points every couple of inches.
- **6.** Hand stitch or finish the edges using a machine straight stitch or decorative stitch.


Finishing the Quilt

7. Layer the quilt with batting and backing and baste.

Quilt in the ditch around the edges of the circle and between wedge patches. Quilt around the printed motifs in the patches. Quilt the background as desired.

Or, quilt an overall pattern. Bind to finish the quilt.





Whiskers and Dash

SARAH GOLDEN





9168 B1



9168 C



9168 CL



9168 G



9168 L



9168 L1



9168 LE



9168 N



9168 O







9168 Y



9168 YL









9173 E

mandals captallings and an action of the captalling of the captall

9173 G






9173 L



9173 LC



9173 N



CS-10-Snow

mant orest 1900 1311 or

9173 O

ment marris marre man

9173 Y

9173 Y1

andover: makower uk

All fabrics are used in guilt pattern. Fabrics shown are 50% of actual size.

Free Pattern Download Available 1384 Broadway New York, NY 10018 Tel. (800) 223-5678 • andoverfabrics.com