

Framed - ABC Club

ANDOVER FABRICS



Whimsy



Camp Kitschy La La



Amsterdam



Prehistoric

Framed Quilt designed by: **Tiffany Hayes**

Quilt Size: **64" x 84"** • Skill Level: **Confident Beginner**

andover • makower.uk

Free Pattern Download Available

1384 Broadway New York, NY 10018

Tel. (800) 223-5678 • andoverfabrics.com

Framed



Featuring Andover Fabrics new collections: Whimsy, Camp Kitschy La La, Amsterdam & Prehistoric
Quilt designed by Tiffany Hayes

Fabric Requirements						
Quilt		Yardage	Fabric			
			Whimsy	Camp Kitschy La La	Amsterdam	Prehistoric
Fabric A	center block	2/3 yard	1652-LB	1711-N	1688-B1	170-1
Fabric B	blocks	Fat 1/4	1652-B	1554-N	1682-B	153-G
	blocks	Fat 1/4	1652-L	1554-R	1682-B1	153-V
	blocks	Fat 1/4	1653-L	1712-N	1682-LB	163-Q
	blocks	Fat 1/4	1653-Y	1713-G	1683-B	163-V
	blocks	Fat 1/4	1654-B	1713-R	1683-LB	164-B
	blocks	Fat 1/4	1654-E	1713-Y	1684-B	164-Q
	blocks	Fat 1/4	1654-P	1714-B	1684-B1	164-S
	blocks	Fat 1/4	1655-E	1715-R	1684-LB	165-B2
	blocks	Fat 1/4	1655-P	1715-V	1685-B	166-G
	blocks	Fat 1/4	1656-B	1715-Y	1685-LB	166-Q
	blocks	Fat 1/4	1656-P	1716-B	1686-B	167-G
	blocks	Fat 1/4	1656-Y	1716-G	1686-LB	167-S
	blocks	Fat 1/4	1657-E	1717-B	1687-B	167-V
	blocks	Fat 1/4	1657-P	1717-N	1687-L	168-G
	blocks	Fat 1/4	1657-Y	1717-Y	1687-LB	168-Q
	blocks	Fat 1/4	1658-B	1718-B	1688-B	168-V
	blocks	Fat 1/4	1658-E	1718-B1	1688-LB	169-G
	blocks	Fat 1/4	1658-LB	1718-N	1689-B	169-M
	blocks	Fat 1/4	1659-E	1718-R	1689-B1	169-Q
	blocks	Fat 1/4	1659-Y	1718-Y	1689-LB	169-V
	blocks	Fat 1/4			1690-B	
Fabric C	sashing	1 3/4 yards	1655-G	1718-L	1686-L	168-B
Fabric D	inner border	1/2 yard	1659-B	1718-G	1687-L	169-M
Fabric E	outer border	1 1/8 yards	1653-B	1714-L (1 1/2 yards)	1690-LB	165-B8
Binding		2/3 yard	1659-B	1718-G	1687-L	169-B
Backing		5 1/4 yards	(your choice)	(your choice)	(your choice)	(your choice)

Quilt finished 64" x 84"

Quilt Cutting Directions (All Versions)

Note: Read assembly directions before cutting

patches. Borders are cut to exact length required plus 1/4" seam allowance. WOF designates the width of fabric from selvedge to selvedge (approximately 42" wide). A Fat 1/4 is 18"-22" WOF. Choosing directional fabric may require piecing some strips.

Fabric A Cut (1) 22 1/2" x 42 1/2" WOF strip
Note: Fussy cut Prehistoric fabric.

Fabric B From the (20) Fat 1/4:
Cut (4) 12 1/2" x 12 1/2" squares.
Cut (4) 6 1/2" x 12 1/2" strips.
Cut (2) 5 1/2" x 20 1/2" strips.
Cut (2) 5 1/2" x 16 1/2" strips.

Cut (4) 5 1/2" x 12 1/2" strips.

Cut (2) 5 1/2" x 10 1/2" strips.

Cut (6) 5 1/2" x 6 1/2" strips.

Fabric C

Cut (3) 2 1/2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 1/2" x 42 1/2" strips.

Cut (3) 2 1/2" x WOF strips. Sub-cut the strips into (8) 2 1/2" x 12 1/2" strips.

Cut (2) 2 1/2" x WOF strips. Sub-cut the strips into (8) 2 1/2" x 5 1/2" strips.

Cut (2) 2 1/2" x 20 1/2" WOF strips.

Cut (2) 2 1/2" x 28 1/2" WOF strips.

Cut (3) 2 1/2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 1/2" x 50 1/2" strips.

Framed

Cutting Directions - Continued

Cut (4) 2 1/2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 1/2" x 70 1/2" strips.
Cut (3) 2 1/2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 1/2" x 54 1/2" strips.

Fabric D Cut (4) 1 1/2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 1/2" x 74 1/2" strips.
Cut (3) 1 1/2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 1/2" x 56 1/2" strips.

Fabric E Cut (4) 4 1/2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4 1/2" x 76 1/2" strips.
Cut (4) 4 1/2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4 1/2" x 64 1/2" strips.

Binding Cut (8) 2 1/2" x WOF strips for the binding.

Backing Cut (2) 92" x WOF strips. Sew the strips together and trim to make (1) 72" x 92" backing.

Making the Quilt

Note: Pay attention to the unit orientations when assembling the various components.

1. Block Assembly

Sew (1) 2 1/2" x 42 1/2" Fabric C strip to each side of the 22 1/2" x 42 1/2" Fabric A strip to make the 26 1/2" x 42 1/2" Center Block (Diagram 1).




Diagram 1

- Sew (1) 6 1/2" x 12 1/2" Fabric B strip to the left side of (1) 2 1/2" x 12 1/2" Fabric C strip lengthwise to make (1) 8 1/2" x 12 1/2" Block One rectangle (Diagram 2). Repeat to make (3) additional Block One rectangles.

Block One

make 4



Diagram 2

- Sew (1) 2 1/2" x 12 1/2" Fabric C strip to the left side of (1) 12 1/2" Fabric B square to make (1) 14 1/2" x 12 1/2" Block Two rectangle (Diagram 3). Repeat to make (3) additional Block Two rectangles.

Block Two
make 4




Diagram 3

- Sew together (1) 5 1/2" x 10 1/2" Fabric B strip, (1) 2 1/2" x 5 1/2" Fabric C strip and (1) 5 1/2" x 16 1/2" Fabric B strip, end to end and in that order from left to right, to make the top row (Diagram 4).
- Sew together (1) 5 1/2" x 20 1/2" Fabric B strip, (1) 2 1/2" x 5 1/2" Fabric C strip and (1) 5 1/2" x 6 1/2" Fabric B strip, end to end and in that order from left to right, to make the bottom row (Diagram 4).
- Sew together the top row from Step 4, (1) 2 1/2" x 28 1/2" Fabric C strip and the bottom row from Step 5, lengthwise and in that order from top to bottom, to make (1) 28 1/2" x 12 1/2" Block Three rectangle (Diagram 4).
- Repeat Steps 4-6 to make a second Block Three rectangle.

Block Three

make 2






Diagram 4

Framed

8. Sew together (1) $5\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric B strip, (1) $2\frac{1}{2}$ " x $5\frac{1}{2}$ " Fabric C strip and (1) $5\frac{1}{2}$ " x $12\frac{1}{2}$ " Fabric B strip, end to end and in that order from top to bottom, to make the left column (Diagram 5).
9. Sew together (1) $5\frac{1}{2}$ " x $12\frac{1}{2}$ " Fabric B strip, (1) $2\frac{1}{2}$ " x $5\frac{1}{2}$ " Fabric C strip and (1) $5\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric B strip, end to end and in that order from top to bottom, to make the right column (Diagram 5).
10. Sew together the left column from Step 8, (1) $2\frac{1}{2}$ " x $20\frac{1}{2}$ " Fabric C strip and the right column from Step 9, lengthwise and in that order from left to right, to make (1) $12\frac{1}{2}$ " x $20\frac{1}{2}$ " Block Four rectangle (Diagram 5).
11. Repeat Steps 8-10 to make a second Block Four rectangle.



12. Sew together (1) Block One rectangle, (1) Block Three rectangle and (1) Block Two rectangle, in that order from left to right to make the Top Row.
13. Repeat Step 12 and refer to Diagram 6 for component identification, placement and orientation to make the Middle Row and the Bottom Row.
14. Sew together the Top Row, (1) $2\frac{1}{2}$ " x $50\frac{1}{2}$ " Fabric C strip, the Middle Row, (1) $2\frac{1}{2}$ " x $50\frac{1}{2}$ " Fabric C strip and the Bottom Row, lengthwise and in that order from top to bottom, to make the $50\frac{1}{2}$ " x $70\frac{1}{2}$ " Quilt Center (Diagram 6).



Quilt Top Assembly

(Refer to the Quilt Layout when assembling the quilt top.)

15. Sew (1) $2\frac{1}{2}$ " x $70\frac{1}{2}$ " Fabric C strip to each side of the Quilt Center. Sew (1) $2\frac{1}{2}$ " x $54\frac{1}{2}$ " Fabric C strip to the top and bottom of the Quilt Center.
16. Sew (1) $1\frac{1}{2}$ " x $74\frac{1}{2}$ " Fabric D strip to each side of the Quilt Center. Sew (1) $1\frac{1}{2}$ " x $56\frac{1}{2}$ " Fabric D strip to the top and bottom of the Quilt Center.
17. Sew (1) $4\frac{1}{2}$ " x $76\frac{1}{2}$ " Fabric E strip to each side of the Quilt Center. Sew (1) $4\frac{1}{2}$ " x $64\frac{1}{2}$ " Fabric E strip to the top and bottom of the Quilt Center to make the quilt top.


Framed

Finishing the Quilt

18. Layer and quilt as desired.


19. Sew the (8) binding strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.

20. Bind as desired.



Whimsy

KIM SCHAEFER



1652-B

Fat ¼




1652-L

Fat ¼



1652-LB

2/3 yd



1653-B

1 1/8 yds




1653-L

Fat ¼




1653-Y

Fat ¼




1654-B

Fat ¼




1654-E

Fat ¼



1654-P

Fat ¼




1655-E

Fat ¼




1655-G

1 3/4 yds



1655-P

Fat ¼



1656-B

Fat ¼



1656-P

Fat ¼



1656-Y

Fat ¼



1657-E

Fat ¼



1657-P

Fat ¼



1657-Y

Fat ¼



1658-B

Fat ¼




1658-E

Fat ¼



1658-LB

Fat ¼



1659-B

(includes binding)

1 ¼ yds



1659-E

Fat ¼



1659-Y

Fat ¼

Bolts needed to cut project kits: 15 yds = 1 bolt
Fabrics shown are 25% of actual size.

Your Choice
(backing)

5 ¼ yds

andover : makower.uk

Free Pattern Download Available

1384 Broadway New York, NY 10018
Tel. (800) 223-5678 • andoverfabrics.com

Camp Kitschy La La

ALISON GLASS



1554-L



1554-N

Fat ¼



1554-R

Fat ¼



1711-G



1711-N

2/3 yds



1712-L



1712-N

Fat ¼



1712-Y



1713-G

Fat ¼



1713-R

Fat ¼



1713-Y

Fat ¼



1714-B

Fat ¼



1714-L

1 ½ yds



1714-Y



1715-R

Fat ¼



1715-V

Fat ¼



1715-Y

Fat ¼



1716-B

Fat ¼



1716-G

Fat ¼



1716-V



1717-B

Fat ¼



1717-N

Fat ¼



1717-Y

Fat ¼



1718-B

Fat ¼



1718-B1

Fat ¼



1718-G

(includes binding)

1 ¼ yds



1718-L

1 ¾ yds



1718-N

Fat ¼



1718-R

Fat ¼



1718-Y

Fat ¼

Bolts needed to cut project kits: 15 yds = 1 bolt
Fabrics shown are 25% of actual size.

Your Choice
(backing)

5 ¼ yds

andover : makower uk

Free Pattern Download Available

1384 Broadway New York, NY 10018
Tel. (800) 223-5678 • andoverfabrics.com

Amsterdam

LIBS ELLIOTT



1682-B

Fat ¼



1682-B1

Fat ¼



1682-LB

Fat ¼



1683-B

Fat ¼




1683-L




1683-LB

Fat ¼



1684-B

Fat ¼



1684-B1

Fat ¼



1684-LB

Fat ¼



1685-B

Fat ¼



1685-L



1685-LB

Fat ¼



1686-B

Fat ¼



1686-L

1 ¾ yds



1686-LB

Fat ¼



1687-B

Fat ¼



1687-L

1 ½ yds

(includes binding)



1687-LB

Fat ¼



1688-B

Fat ¼



1688-B1

⅔ yd



1688-LB

Fat ¼



1689-B

Fat ¼



1689-B1

Fat ¼



1689-LB

Fat ¼



1690-B

Fat ¼



1690-LB

1 ⅛ yds

Bolts needed to cut project kits: 15 yds = 1 bolt
Fabrics shown are 25% of actual size.

Your Choice
(backing)

5 ¼ yds

andover : makower uk

Free Pattern Download Available

1384 Broadway New York, NY 10018
Tel. (800) 223-5678 • andoverfabrics.com

Prehistoric

MAKOWER UK



153-G

Fat 1/4



153-V

Fat 1/4



163-Q

Fat 1/4



163-V

Fat 1/4



164-B

Fat 1/4



164-Q

Fat 1/4



164-S

Fat 1/4



165-B2

Fat 1/4



165-B8

1 1/8 yds



166-G

Fat 1/4



166-Q

Fat 1/4



167-G

Fat 1/4



167-S

Fat 1/4



167-V

Fat 1/4



168-B

1 3/4 yds



168-G

Fat 1/4



168-Q

Fat 1/4




168-V

Fat 1/4



169-B
(binding)

2/3 yd




169-G

Fat 1/4




169-M

3/4 yd



169-Q

Fat 1/4



169-V

Fat 1/4

Your Choice
(backing)

5 1/4 yds



170-1

2/3 yd

Bolts needed to cut project kits: 15 yds = 1 bolt
Fabrics (except panel) shown are 25% of actual size.

andover : makower.uk

Free Pattern Download Available

1384 Broadway New York, NY 10018
Tel. (800) 223-5678 • andoverfabrics.com