


Finished size 68" x 84" / 173 x 213cm

Designed by Lynne Goldsworthy from lilysquilts.blogspot.com





Finished size 68" x 84" / 173 x 213cm

Designed by Lynne Goldsworthy from lilysquilts.blogspot.com

FABRIC REQUIREMENTS		
DESIGN	QUANTITY	USE
1451/1, 1452/W, 1453/S, 1453/T 1454/W, 1455/P, 1457/P, 1457/T	FAT QUARTER OF EACH	BLOCKS
2000/T64 TEAL	2 m / 2 ¼yds	DARK SOLID
2000/W01 WHITE	1 ¾m / 1 ¾yds	LIGHT SOLID
1313/T4	3⁄4 m / 3⁄4 yd	BINDING
1452/S	4 ¾m / 5 ¼yds	BACKING
WADDING 76" x 92"		

NOTES

- Press all fabrics before cutting
- Read pattern through before starting
- Seams are 1/4" throughout unless stated otherwise
- Press after each seam.
- WOF = width of fabric a strip of fabric cut from selvedge to selved

CUTTING

Cut the following FQs into five 2 $\frac{1}{2}$ " x 22" strips and then as shown by the white boxes on the cutting diagram:

- 1452-W
- 1454-W

Cut the following FQs into six 2 $\frac{1}{2}$ " x 22" strips and then as shown by the white and grey boxes on the cutting diagram:

- 1451-1
- 1453-S
- 1453-T
- 1455-P
- 1457-P
- 1457-T

Cutting Diagram

 ▲ 22" → 					
2.5" x 4.5"	2.5" x	4.5"	2.5" x 4.5"		
2.5" x 8.5"			2.5" x 8.5"		
2.5" x 8.5"			2.5" x 8.5"		
2.5" x 8.5"			2.5" x 8.5"		18"
2.5" x 8.5"			2.5" x 8.5"		
2.5" x 3.5" 2	.5" x 3.5"				
	2.5" ; 2.5" ; 2.5" ; 2.5" ;	2.5" x 4.5" 2.5" x 2.5" x 8.5" 2.5" x 8.5" 2.5" x 8.5"	2.5" x 4.5" 2.5" x 8.5" 2.5" x 8.5" 2.5" x 8.5" 2.5" x 8.5" 2.5" x 8.5"	2.5" x 4.5" 2.5" x 4.5" 2.5" x 4.5" 2.5" x 8.5" 2.5" x 8 2.5" x 8 2.5" x 8.5" 2.5" x 8 2.5" x 8 2.5" x 8.5" 2.5" x 8 2.5" x 8 2.5" x 8.5" 2.5" x 8 2.5" x 8	$2.5" \times 4.5"$ $2.5" \times 4.5"$ $2.5" \times 4.5"$ $2.5" \times 8.5"$

Cut the teal solid into:

- Three 4 ¹/₂" WOF strips. Cut into twenty 4 ¹/₂" squares.
- Twenty-five 2 ¹/₂" WOF strips.
- a) Cut twenty of those into two 8 $\frac{1}{2}$ " and two 12 $\frac{1}{2}$ " strips each to yield forty of each in total.
- b) Cut the remaining five into three $12 \frac{1}{2}$ " strips each to yield fifteen in total.

Cut the white solid into:

- Two 4 ¹/₂" WOF strips. Cut into twelve 4 ¹/₂" squares and six 1 ¹/₂" x 4 ¹/₂" strips.
- Twenty-one 2 ¹/₂" WOF strips.

a) Cut twelve of those into two 8 $\frac{1}{2}$ " and two 12 $\frac{1}{2}$ " strips each to yield twenty-four of each in total.

- b) Cut seven of those into three $12 \frac{1}{2}$ " strips each to yield twenty-one in total.
- c) From the remaining two strips, cut one $12 \frac{1}{2}$ " strip and twelve $5 \frac{1}{2}$ " strips.


Cut the binding fabric into eight 2 ¹/₂" WOF strips.

Cut the backing fabric into two equal lengths.


MAKING THE QUILT TOP

1. Following the fabric placement in the main quilt image, sash each of the twelve $4 \frac{1}{2}$ " squares of white solid fabric as follows:

a) Sash the sides of the square with two $2\frac{1}{2}$ " x $4\frac{1}{2}$ " strips of print fabric then the top and bottom with two $2\frac{1}{2}$ " x $8\frac{1}{2}$ " strips of print fabric as shown in the diagram opposite.




b) Then sash the sides of the square with two $2\frac{1}{2}$ x $8\frac{1}{2}$ strips of white fabric then the top and bottom with two $2\frac{1}{2}$ x $12\frac{1}{2}$ strips of white fabric as shown in the diagram below.




- 2. Repeat for each of the twenty 4 ¹/₂" squares of teal solid fabric.
- 3. Sash the six white $1 \frac{1}{2}$ x $4 \frac{1}{2}$ rectangles as follows:

a) Sash one side of the rectangle with a $2\frac{1}{2}$ " x $4\frac{1}{2}$ " strip of print fabric then the top and bottom with two $2\frac{1}{2}$ " x $3\frac{1}{2}$ " strips of print fabric as shown in the diagram below.




b) Then sash the same side of the rectangle with a $2\frac{1}{2}$ " x $8\frac{1}{2}$ " strip of white fabric then the top and bottom with two $2\frac{1}{2}$ " x $5\frac{1}{2}$ " strips of white fabric as shown in the diagram below.




4. Lay the sashed squares and rectangles into seven rows following the layout in the main quit image.

a) Four of the rows will consist of five teal sashed square blocks and four white $2\frac{1}{2}$ x $12\frac{1}{2}$ strips as shown in the diagram below.



a) Three of the rows will consist of two white sashed rectangle blocks, four white sashed square blocks and five teal $2\frac{1}{2}$ " x $12\frac{1}{2}$ " strips as shown in the diagram below.



5. Sew the blocks and strips into seven rows again following the layout in the main quilt image. Seams can be pressed as desired as they will not need to nest with other seams when the seven rows are sewn together.

6. Sew the seven rows together to finish the quilt top.

FINISHING THE QUILT

1. Cut the backing fabric into two equal lengths, remove selvedges then sew together along the long edges using a $\frac{1}{2}$ " seam to make the backing.

2. Make and baste a quilt sandwich using the backing fabric, batting and quilt top and quilt as desired.

3. Sew the binding fabric strips end to end using diagonal or straight seams as preferred and fold in half along the length wrong sides together to make a double fold binding.

4. Bind to finish, taking care to mitre corners.



ALL DESIGNS 50% OF ACTUAL SIZE

* designs used in quilt also requires Spectrum 2000 T64 & W01