
Little House on the Prairie®

1

BY KATHY HALL



LITTLE HOUSE ON THE PRAIRIE® and associated character names and trademarks are owned and licensed by Friendly Family Productions, LLC. All rights reserved. ©2015 Friendly Family Productions, LLC



Free Pattern Download Available

1384 Broadway New York, NY 10018 Tel. (800) 223-5678 • andoverfabrics.com



Featuring Andover Fabrics new Collection: Little House on the Prairie by Kathy Hall Quilt designed by Heidi Pridemore

Quilt finished 64" x 64"		Fabric Requirements			
Cutting Directions				Yardage	Fabric
Note: Read assembly directions before cutting		Fabric A	blocks, setting triangles, binding	2 1/8 yards	7949-K
patches. Borders are cut to exact length required plus ¼ seam allowance. WOF designates the width of fabric from selvedge to selvedge (approximately 42" wide).		Fabric B Fabric C Fabric D	borders sashing	 ½3 yard ½8 yard ½3 yard 	7954-RN 7958-TL 7957-TK
Fabric A	Cut (1) 11 ½" x WOF strip. Sub-cut the strip into (2) 11 ½" squares. Cut the squares across one diagonal to make (4) corner setting triangles. Cut (1) 21" x WOF strips. Sub-cut the strip into (2) 21" squares. Cut the squares across both diagonals to make (8) side setting triangles. Cut (1) 2 ½" x WOF strip. Sub-cut the strip into (3) 2 ½" squares, (2) 2" x 6 ½" strips and (2) 2" x 3 ½" strips. Cut (7) 2 ½" x WOF strips for the binding.	Fabric E Fabric G Fabric H Fabric I Fabric J Fabric K Fabric L Fabric M Fabric N Fabric O Fabric P Fabric Q Fabric S	blocks	1/3 yard 3/4 yard 1/2 yard 1/3 yard 1/4 yard	7954-TK 7955-T 7956-N 7953-R 7953-N 7955-R 7949-T 7923-L 7955-N 7947-N 7924-L 7951-G 7956-TL 7951-R 7949-N
Fabric B	Cut (4) 2 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 ½" x 64" strips. Cut (4) 2 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 ½" x 60" strips.	Fabrie T Fabrie U Fabrie V Fabrie W Fabrie X Fabrie Y Fabrie Z Backing	blocks blocks blocks	1/4 yard 4 yard	7957-RO 7958-NL 7953-T 7925-R 7924-B 7952-K 7947-B 7947-K
Fabric C	Cut (2) 12 ½" x WOF strips. Sub-cut strips into (36) 2" x 12 ½" strips.	Fabric E	Cut (1) 3 ½" x WOF str into (8) 3 ½" square Cut (1) 5 ½" x WOF str into (1) 5 ½" square	s. ip. Sub-cut	the strip
Fabric D	Cut (2) 2" x WOF strips. Sub-cut the strips into (24) 2" squares. Cut (1) 3 ½" x WOF strip. Sub-cut the strip into (8) 3 ½" squares. Cut (1) 2 ½" x WOF strip. Sub-cut the strip into (4) 2 ½" x 4 ½" strips. Cut (1) 6 ¾" x WOF strip. Sub-cut the strip into (1) 6 ¾" square. Cut the square across (1) diagonal to make (2) triangles.	Fabric F	Cut (1) 8 ½" x WOF str into (2) 2" x 8 ½" strip (2) 3 ½" x 6 ½" strip Cut the 7 ¼" square to make (8) triangle the triangles. Cut (1) 4 ½" x WOF str into (2) 4 ½" square Cut the 3 ½" square make (16) triangles. Cut (1) 2 ½" x WOF str into (5) 2 ½" square	rips, (2) 2" x s and (2) 7 s across books. You will do rip. Sub-cut is and (8) 3 s across (1) .	t 5 ½" strips, ¼" squares. th diagonals mly use (6) of the strip ½" squares. diagonal to


Fabric G	Cut (1) 4 ¼" x WOF strip. Sub-cut the strip into (4) 4 ¼" squares. Cut the squares across both diagonals to make (16) triangles. Cut (1) 3 ½" x WOF strip. Sub-cut the strip into (6) 3 ½" squares. Cut (1) 3 ½" x WOF strip. Sub-cut the	Fabric Q	Cut (1) 3 %" x WOF strip. Sub-cut the strip into (2) 3 %" squares and (8) 3 ½" squares. Cut (1) 4 %" x WOF strip. Sub-cut the strip into (2) 4 %" squares and (4) 2 ½" x 4 ½" strips.	
Fabric H	strip into (8) 3 ½" squares. Cut (1) 7 ¼" x WOF strip. Sub-cut the strip into (1) 7 ¼" square and (4) 4 ¼"	Fabric R	Cut (1) 6% " x WOF strip. Sub-cut the strip into (1) 6% " square and (4) $3 \frac{1}{2}$ " x $6 \frac{1}{2}$ " strips. Cut the 6% " square across (1) diagonal to make (2) triangles.	
	squares. Cut the squares across both diagonals to make (4) 7 ¹ / ₄ " triangles and (16) 4 ¹ / ₄ " triangles.	Fabric S	chric S Cut (1) 7 1/4" x WOF strip. Sub-cut the strip into (1) 7 1/4" square, (2) 3 7/8" squares and (2) 2 1/2" squares. Cut the 7 1/4" square across both diagonals to make (4) triangles.	
Fabric I	Cut (1) $6\frac{1}{2}$ " x WOF strip. Sub-cut the strip into (1) $6\frac{1}{2}$ " square, (2) $3\frac{1}{2}$ " x $6\frac{1}{2}$ " strips.			
Fabric J	Cut (1) 6 ½" x WOF strip. Sub-cut the strip into (6) 3 ½" x 6 ½" strips and (4) 3 ½" squares. Cut (1) 2 ½" x WOF strip. Sub-cut the strip into (11) 2 ½" squares.	Fabric T	Cut (1) 7 1/4" x WOF strip. Sub-cut the strip into (1) 7 1/4" square and (3) 2 1/2" squares. Cut the 7 1/4" square across both diagonals to make (4) triangles. You will only use (2) of the triangles.	
Fabric K	Cut (1) 3 1/8" x WOF strip. Sub-cut the strip into (4) 3 1/8" squares and (8) 2" squares. Cut (1) 7 1/4" x WOF strip. Sub-cut the	Fabric U	Cut (1) 7 1/4" x WOF strip. Sub-cut the strip into (1) 7 1/4" square and (6) 3 7/8" squares. Cut the 7 1/4" square across both diagonals to make (4) triangles.	
Fabric K	strip into (1) 7 1/4" square and (4) 3 1/2" squares. Cut the 7 1/4" square across both diagonals to make (4) triangles. You will only use (2) of the triangles.	Fabric V	Cut (1) $7\frac{1}{4}$ " x WOF strip. Sub-cut the strip into (1) $7\frac{1}{4}$ " square and (2) $3\frac{7}{8}$ " squares and (4) $3\frac{1}{2}$ " squares. Cut the $7\frac{1}{4}$ " square across both diagonals to	
Fabric L	Cut (1) 3 ½" x WOF strip. Sub-cut the strip into (4) 3 ½" x 6 ½" strips and (4) 3 ½" squares.	Fabric W	make (4) triangles. You will only use (2) of the triangles. Cut (1) 7 1/4" x WOF strip. Sub-cut the strip	
	Cut (1) $8\frac{1}{2}$ " x WOF strip. Sub-cut the strip into (4) $2\frac{1}{2}$ " x $8\frac{1}{2}$ " strips and (4) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " strips.	rabile w	into (1) 7 1/4" square. Cut the 7 1/4" square across both diagonals to make (4) triangles.	
Fabric M	Cut (1) 3% " x WOF strip. Sub-cut the strip into (6) 3% " squares and (4) $2 \frac{1}{2}$ " squares.	Fabric X	Cut (1) 3% " x WOF strip. Sub-cut the strip into (4) 3% " squares and (5) $3\frac{1}{2}$ " squares.	
Fabric N	Cut (1) $2\frac{1}{2}$ " x WOF strip. Sub-cut the strip into (8) $2\frac{1}{2}$ " squares.	Fabric Y	Cut (1) 3 $\%$ " x WOF strip. Sub-cut the strip into (4) 3 $\%$ " squares.	
Fabric O	Cut (1) 4 ½" x WOF strip. Sub-cut the strip into (8) 2 ½" x 4 ½" strips and (4) 3 ½" squares. Cut (1) 3 ½" x WOF strip. Sub-cut the	Fabric Z	Cut (1) 6 $\frac{1}{2}$ " x WOF strip. Sub-cut the strip into (2) 6 $\frac{1}{2}$ " squares and (4) 3 $\frac{7}{8}$ " squares.	
	strip into (12) 3 $\frac{1}{2}$ " squares.	Backing	Cut (2) 72" x WOF strips. Sew the strips together and trim to make (1) 72" x 72"	
Fabric P	Cut (1) 6 ½" x WOF strip. Sub-cut the strip into (1) 6 ½" square and (2) 3 ½" x 6 ½" strips.		backing.	


Making the Quilt


1. Block Assembly

Place (1) 3 1/8" Fabric G square on top of (1) 3 1/8" Fabric Z square, right sides together. Draw a line across the diagonal of the top square (Diagram 1). Sew 1/4" away from each side of the drawn diagonal line (Diagram 1). Cut the two squares apart on the drawn diagonal line (Diagram 1) to make (2) ZG units. Trim the ZG units to measure 3 ½" square. Repeat to make (8) ZG units total.











- **5.** Place (1) 3 ½" Fabric E square on the top left corner of (1) 6 1/2" Fabric Z square, right sides together (Diagram 4). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Diagram 4). Flip open the triangle formed and press (Diagram 4). Trim away the excess fabric from behind the triangle 1/4" away from the sewn seam.
- **6.** Follow Diagram 4 for the seam direction to add a 3 ½" Fabric E square to each of the remaining corners of the 6 1/2" Fabric Z square to make (1) Z-block (Diagram 4).



Repeat Steps 4-5 to make a second Z-block.

8. Sew (1) side strip to each side of (1) Z-block. Sew (1) ZG unit to each end of (1) side strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Z-block to make (1) Block One (Diagram 5). Repeat to make a second Block One.




9. Sew (1) Fabric S triangle, (1) Fabric F 7 1/4" triangle, (1) Fabric H 7 1/4" triangle and (1) Fabric W triangle together to make (1) SH unit (Diagram 6). Repeat to make (4) SH units total.



10. Sew (4) SH units together to make (1) Block Two (Diagram 7).

make 8

make 8



11. Repeat Step 1 using (2) 3 1/8" Fabric Q squares and (2) 3 1/8" Fabric M squares to make (4) 3 1/2" MQ units (Diagram 8).



12. Repeat Steps 5-6 using (1) 6 ½" Fabric P square and (4) 3 1/2" Fabric D squares to make (1) P-block (Diagram 9).



13. Place (1) 3 1/2" Fabric Q square on the left side of (1) 3 ½" x 6 ½" Fabric J strip, right sides together (Diagram 10). Sew across the diagonal of the square from the upper right corner to the lower left corner (Diagram 10). Flip open the triangle formed and press (Diagram 10). Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance.




Diagram 10

- 14. Place another 3 ½" Fabric Q square on the right side of the 3 ½" x 6 ½" Fabric J strip, right sides together (Diagram 10). Sew across the diagonal of the square from the upper left corner to the lower right corner (Diagram 10). Flip open the triangle formed and press (Diagram 10). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) QJQ unit.
- **15.** Repeat Steps 13-14 to make (4) QJQ units total.
- 16. Sew (1) QJQ unit to each side of (1) P-block. Sew (1) MQ unit to each end of QJQ unit. Repeat to make a second strip. Sew the strips to the top and to the bottom of the P-block to make (1) Block Three (Diagram 11).




Diagram 11

17. Repeat Steps 13-14 using (4) 3 ½" x 6 ½" Fabric L strips, (4) 3 ½" Fabric D squares and (4) 3 ½" Fabric K squares to make (4) DLK units (Diagram 12).



make 4


18. Repeat Steps 5-6 using (1) 6 ½" Fabric I square and (4) 3 ½" Fabric J squares to make (1) I-block (Diagram 13).



Diagram 13

19. Sew (1) DLK strip to each side of the I-block. Sew (1) 3 ½"

Fabric L square to each end of (1) DLK unit. Repeat to make a second strip. Sew the strips to the top and to the bottom of the I-block to make (1) Block Four (Diagram 14).



20. Repeat Step 1 using (2) 3 %" Fabric S squares and (2) 3 %" Fabric G squares to make (4) 3 %" GS units (Diagram 15).



Diagrami

21. Repeat Steps 13-14 using (4) 3 ½" x 6 ½" Fabric R strips and (8) 3 ½" Fabric G squares to make (4) GRG units (Diagram 16).



22. Sew (2) Fabric F 7 ¹/₄" triangles and (2) Fabric K 7 ¹/₄" triangles together to make (1) FK unit (Diagram 17).



Diagram 17

23. Sew (1) GRG strip to each side of the FK unit. Sew (1) GS unit to each end of (1) GRG strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the FK unit to make (1) Block Five (Diagram 18).




Diagram 18

24. Repeat Step 1 using (2) $4 \frac{7}{8}$ " Fabric Q squares and (2) $4 \frac{7}{8}$ " Fabric F squares to make (4) $4 \frac{1}{2}$ " QF units (Diagram 19).




Diagram 19

25. Sew (1) 2 ½" x 4 ½" Fabric Q strip and (1) 2 ½" x 4 ½" Fabric D strip together lengthwise to make (1) QD unit. Repeat to make (4) QD units total (Diagram 20).



26. Sew (1) QD unit to each side of (1) 4 ½" Fabric E square. Sew (1) QF unit to each end of (1) QD unit. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Fabric E square to make (1) Block Six (Diagram 21).



27. Sew (1) 2 ½" Fabric T square, (1) 2 ½" Fabric A square, (1) 2 ½" Fabric F square and (1) 2 ½" Fabric J square together to make (1) TJ unit (Diagram 22).



28. Sew (1) 2 ½" x 4 ½" Fabric L strip to each side of the TJ unit. Sew (1) 2 ½" Fabric J square to the left end of (1) 2 ½" x 4 ½" Fabric L strip. Sew (1) 2 ½" Fabric F square to the right end of the Fabric L strip. Sew this strip to the top of the TJ unit. Sew (1) 2 ½" Fabric A square to the



Diagram 23

left end of (1) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric L strip. Sew (1) $2\frac{1}{2}$ " Fabric T square to the right end of the strip. Sew this strip to the bottom of the TJ unit (Diagram 23).

29. Sew (1) 2 ½" x 8 ½" Fabric L strip to each side of the TJ unit. Sew (1) 2 ½" Fabric T square to the left end of (1) 2 ½" x 8 ½" Fabric L strip. Sew (1) 2 ½" Fabric A square to the right end of the Fabric L strip. Sew this strip to the top of the TJ unit. Sew (1) 2 ½" Fabric F square to the left end of (1) 2 ½" x 8 ½"




Diagram 24

Fabric L strip. Sew (1) $2\frac{1}{2}$ Fabric J square to the right end of the strip. Sew this strip to the bottom of the TJ unit (Diagram 24) to make (1) Block Seven.

30. Sew (1) Fabric U triangle, (1) Fabric V triangle and (1) Fabric D triangle together to make (1) UVD unit (Diagram 25).



Diagram 25

- 31. Sew (1) 2 ½" Fabric F square to the lower right corner of (1) UVD unit, right sides together. Sew across the diagonal of the smaller square from the upper right corner to the lower left corner. Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam to make (1) UVDF unit (Diagram 26).
- **32.** Repeat Steps 30-31 to make a second UVDF unit (Diagram 27).





Diagram 26

Diagram 27

33. Repeat Steps 30-31 using (2) Fabric U, (2) Fabric T and (2) Fabric R triangles and (2) 2 ½" Fabric S squares to make (2) UTRS units (Diagrams 28-30).








Diagram 29

Diagram 30

34. Sew the (2) UVDE units and (2) UTRS units together to make (1) Block Eight (Diagram 31).



35. Sew (1) 2" x 5 ½" Fabric F strip to each side of (1) 5 ½" Fabric E square. Sew (1) 2" x 8 ½" Fabric F strip to the top and to the bottom of the Fabric E square to make (1) FE-block (Diagram 32).



Diagram 32

36. Repeat Steps 13-14 using (4) 2 ½" x 4 ½" Fabric O strips, (4) 2 ½" Fabric N squares and (4) 2 ½" Fabric J squares to make (4) NOJ units (Diagram 33).



37. Repeat Steps 13-14 using (4) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric O strips, (4) $2\frac{1}{2}$ " Fabric J squares and (4) $2\frac{1}{2}$ " Fabric N squares to make (4) JON units (Diagram 34).



- **38.** Sew (1) NOJ and (1) JON strip together end to end to make (1) O-strip. Repeat to make (4) O-strips total.
- **39.** Sew (1) O-strip to each side of the FE-block. Sew (1) 2 ½" Fabric M square to each end of (1) O-strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the FE-block to make (1) Block Nine (Diagram 35).




Diagram 35

40. Repeat Step 1 using (2) 3 \[\gamma \] Fabric U squares and (2) 3 \[\gamma \] Fabric V squares to make (4) 3 \[\gamma \] VU units (Diagram 36).



41. Repeat Step 1 using (2) 3 % Fabric U squares and (2) 3 % Fabric J squares to make (4) 3 % JU units (Diagram 37).

make 4
U
Diagram 37

42. Repeat Step 1 using (2) 3 % Fabric U squares and (2) 3 % Fabric Y squares to make (4) 3 % YU units (Diagram 38).

make 4

Uy

Diagram 38

43. Repeat Step 1 using (2) 3 %" Fabric J squares and (2) 3 %" Fabric Y squares to make (4) $3 \frac{1}{2}$ " JY units (Diagram 39).





Diagram 39

51. Repeat Steps 5-6 using (1) X-block and (4) 3 ½" Fabric V squares to make (1) VX-block (Diagram 47).



Diagram 47

44. Follow Diagram 40 and sew (4) VU units, (4) JU units, (4) YU units and (4) JY units together to make (1) Block Ten.




Diagram 40

45. Repeat Steps 13-14 using (2) 3 ½" x 6 ½" Fabric I strips and (4) 3 ½" Fabric O squares to make (2) OIO units (Diagram 41).



Diagram 41

46. Repeat Steps 13-14 using (2) 3 ½" x 6 ½" Fabric P strips and (4) 3 ½" Fabric O squares to make (2) OPO units (Diagram 42).



Diagram 42

47. Repeat Steps 13-14 using (2) 3 ½" x 6 ½" Fabric J strips and (4) 3 ½" Fabric O squares to make (2) OJO units (Diagram 43).




Diagram 43

48. Repeat Steps 13-14 using (2) 3 ½" x 6 ½" Fabric F strips and (4) 3 ½" Fabric O squares to make (2) OFO units (Diagram 44).



Diagram 44

49. Follow Diagram 45 and sew(2) OIO units, (2) OPO units,(2) OJO units and (2) OFO units together to make (1) Block Eleven.



50. Sew (1) 2" x 3 ½" Fabric A strip to each side of (1) 3 ½" Fabric X square. Sew (1) 2" x 6 ½" Fabric A strip to the top and to the bottom of the Fabric X square to make (1) X-block

A X A Diagram 46

52. Repeat Step 1 using (4) 3 % Fabric M squares and (4) 3 % Fabric X squares to make (8) 3 ½ MX units (Diagram 48).



53. Sew (1) 2" Fabric J square to the upper right corner of (1) MX unit, right sides together. Sew across the diagonal of the smaller square from the upper left corner to the lower right corner. Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle \(^{1}\alpha\)" away from the sewn seam to make (1) MXJ unit (Diagram 49). Repeat to make (8) MXJ units total (Diagram 50).



Diagram 49



Diagram 50

54. Sew two MXJ units together to make (1) strip. Repeat to make (4) strips total. Sew (1) strip to each side of (1) VX-block. Sew (1) 3 ½" Fabric X square to each end of the remaining (2) strips. Sew the strips to the top and to the bottom of the VX-block to make (1) Block Twelve (Diagram 51).




Diagram 51

${\bf Quilt\,Top\,Assembly:}$

(Refer to the Quilt Layout when assembling the quilt top.)

Note: Refer to Diagram 52 for Steps 55-59.

55. Sew (1) 2" x 12 ½" Fabric C strip to each side of the Block One. Sew (1) 2" Fabric D square to each end of (1) 2" x 12 ½" Fabric C strip to make (1) CD strip. Sew this strip to the top of the Block One. Sew (1) Fabric A side setting triangle to each side of the Block One. Sew (1) Fabric A corner setting triangle to the top of the Block One to make Row One. Repeat To make Row Five except sew the CD strip to the bottom of the Block One.

(Diagram 46).

- **56.** Sew (4) 2" x 12 ½" Fabric C strips, (1) Block Two, (1) Block Three and (1) Block Four together to make (1) Row Two strip. Sew (4) 2" Fabric D squares and (3) 2" x 12 ½" Fabric C strips together, alternating them. Sew this strip to the top of the Row Two strip. Sew (1) Fabric A side setting triangle to each end of the Row Two strip to make Row Two.
- **57.** Sew (6) 2" x 12 ½" Fabric C strips, (1) Block Five, (1) Block Six, (1) Block Seven, (1) Block Eight and (1) Block Finishing the Quilt Nine together to make (1) Row Three strip. Sew (6) 2" Fabric D squares and (5) 2" x 12 1/2" Fabric C strips together, alternating them, to make (1) strip. Repeat to 63. Sew the (7) 2 1/2" x WOF Fabric A strips together, end make second strip. Sew the strips to the top and to the bottom of the Row Three strip. Sew (1) Fabric A corner setting triangle to each end of the Row Three strip to make (1) Row Three.
- **58.** Sew (4) 2" x 12 ½" Fabric C strips, (1) Block Ten, (1) Block Eleven and (1) Block Twelve together to make (1) Row Four strip. Sew (4) 2" Fabric D squares and (3) 2" x 12 1/2" Fabric C strips together, alternating them. Sew this strip to the bottom of the Row Four strip. Sew (1) Fabric A side setting triangle to each end of the Row Two strip to make Row Four.
- **59.** Sew the (5) rows together to make the quilt top. Trim to measure $60 \frac{1}{2}$ " x $60 \frac{1}{2}$ ".

- **60.** Sew (1) $2\frac{1}{2}$ " x 60" Fabric B strip to each side of the quilt top. Trim the Fabric B strips even with the quilt top.
- **61.** Sew (1) $2\frac{1}{2}$ " x 64 $\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the quilt top. Trim the strips even with the quilt top. The quilt should measure approximately 64" x 64".

- 62. Layer and quilt as desired.
- to end with a 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 64. Bind as desired.





Diagram 52




Quilt Layout

Little House on the Prairie®



BY KATHY HALL





1867-C3

1867-L4

1867-LN

1867-N8

1867-R7

Free Pattern Download Available